



# AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b> Bayco Products, Inc.	<b>Manufacturer:</b> Changshu City Minghui Appliance, Co LTD
<b>Address:</b> 640 S. Sanden Blvd Wylie, Texas 75098	<b>Address:</b> Section E, Changkun Industrial Park, Shajiang Town, Changshu, Jiangsu (Xitai Road)
<b>Country:</b> USA	<b>Country:</b> China
<b>Contact:</b> Mr. Gordy Treichler	<b>Contact:</b> Mr. Henry Huang
<b>Phone:</b> (469) 326-9400	<b>Phone:</b> (+86) -512-52509099
<b>FAX:</b> (214) 503-1729	<b>FAX:</b> (+86) -512-52509088
<b>Email:</b> gtreichler@baycoproducts.com	<b>Email:</b> huang_h2002@msn.com

**Party Authorized To Apply Mark:** Same as Manufacturer  
**Report Issuing Office:** Dallas, TX

**Control Number:** 4001184      **Authorized by:** *Steven Condie*  
*for* William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
165 Main Street, Cortland, NY 13045  
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

<b>Standard(s):</b>	UL Standard for Safety for Cord Reels - 10th Edition; Dated June 25, 2004 Revisions Through and Including August 30, 2011 (ANSI/UL 355)
<b>Product:</b>	Cord and Cable Reels

UL E155342 Vol.1 Sec.4

850, 830, 5130R, 800, 81706, 840, 822, 5140R, 802, 821, 823, 5230R, 5430R,  
81745, 81826, 824, 825, 826, 828, 81726, 782-5241 801, 818, 864  
827, 5350R, 81725, 81737, 81706, 851, 81705, 2110, 2112

UL E155342 Vol.1 Sec.5

755, 81827, 755A and 755PDQ

UL E155342 Vol.1 Sec.6

**Models:**

890, 81828, 782-5242

891, 81829, 782-5243

892, 81830, 782-5244

8903 , 8904, 8906, 8904-40

8907, 8908 and 8918

UL E155342 Vol.1 Sec.7

Models YYY-20XX-YYYY, where X can be digit, 0 – 9, and Y can be any letter,  
A – Z or blank



# AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b>	Bayco Products, Inc.	<b>Manufacturer:</b>	Bayco Products, Inc.
<b>Address:</b>	640 S. Sanden Blvd Wylie, Texas 75098	<b>Address:</b>	640 S. Sanden Blvd Wylie, TX 75098
<b>Country:</b>	USA	<b>Country:</b>	USA
<b>Contact:</b>	Mr. Gordy Treichler	<b>Contact:</b>	Greg Mayfield
<b>Phone:</b>	(469) 326-9400	<b>Phone:</b>	(469) 326-9456
<b>FAX:</b>	(214) 503-1729	<b>FAX:</b>	(469) 326-9402
<b>Email:</b>	gtreichler@baycoproducts.com	<b>Email:</b>	gmayfield@baycoproducts.com

**Party Authorized To Apply Mark:** Same as Manufacturer  
**Report Issuing Office:** Dallas, TX

**Control Number:** 4003485      **Authorized by:** *Steven Condie*  
for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
165 Main Street, Cortland, NY 13045  
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

<b>Standard(s):</b>	UL Standard for Safety for Cord Reels - 10th Edition; Dated June 25, 2004 Revisions Through and Including August 30, 2011 (ANSI/UL 355)
<b>Product:</b>	Cord and Cable Reels

UL E155342 Vol.1 Sec.4  
850, 830, 5130R, 800, 81706, 840, 822, 5140R, 802, 821, 823, 5230R, 5430R,  
81745, 81826, 824, 825, 826, 828, 81726, 782-5241 801, 818, 864  
827, 5350R, 81725, 81737, 81706, 851, 81705, 2110, 2112

UL E155342 Vol.1 Sec.5  
755, 81827, 755A and 755PDQ

UL E155342 Vol.1 Sec.6

**Models:**

890, 81828, 782-5242  
891, 81829, 782-5243  
892, 81830, 782-5244  
8903 , 8904, 8906, 8904-40  
8907, 8908 and 8918

UL E155342 Vol.1 Sec.7

Models YYY-20XX-YYYY, where X can be digit, 0 – 9, and Y can be any letter,  
A – Z or blank



# AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b> Bayco Products, Inc.	<b>Manufacturer:</b> Far East Lighting Co., Ltd.
<b>Address:</b> 640 S. Sanden Blvd Wylie, Texas 75098	<b>Address:</b> Sanbei Cixi Ningbo China P.C: 315331
<b>Country:</b> USA	<b>Country:</b> China
<b>Contact:</b> Mr. Gordy Treichler	<b>Contact:</b> Judy Huang
<b>Phone:</b> (469) 326-9400	<b>Phone:</b> 0086-574-63739017
<b>FAX:</b> (214) 503-1729	<b>FAX:</b> 0086-574-63739015
<b>Email:</b> gtreichler@baycoproducts.com	<b>Email:</b> fe2@fareastlamp.com

**Party Authorized To Apply Mark:** Same as Manufacturer  
**Report Issuing Office:** Dallas, TX

**Control Number:** 4002026      **Authorized by:** *Steven Condie*  
*for* William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
165 Main Street, Cortland, NY 13045  
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

<b>Standard(s):</b>	UL Standard for Safety for Cord Reels - 10th Edition; Dated June 25, 2004 Revisions Through and Including August 30, 2011 (ANSI/UL 355)
<b>Product:</b>	Cord and Cable Reels

UL E155342 Vol.1 Sec.4  
850, 830, 5130R, 800, 81706, 840, 822, 5140R, 802, 821, 823, 5230R, 5430R,  
81745, 81826, 824, 825, 826, 828, 81726, 782-5241 801, 818, 864  
827, 5350R, 81725, 81737, 81706, 851, 81705, 2110, 2112

UL E155342 Vol.1 Sec.5  
755, 81827, 755A and 755PDQ

UL E155342 Vol.1 Sec.6

**Models:**

890, 81828, 782-5242  
891, 81829, 782-5243  
892, 81830, 782-5244  
8903 , 8904, 8906, 8904-40  
8907, 8908 and 8918

UL E155342 Vol.1 Sec.7

Models YYY-20XX-YYYY, where X can be digit, 0 – 9, and Y can be any letter,  
A – Z or blank